

catnic®



Lintel Trade Price List

UNICLASS L325:P4142		EPIC F631:X442	
CL/SFB	(31.9)	HH2	
APRIL 2025			



Build it better with Catnic

Catnic is committed to offering brand leading steel lintels to suit any size, shape, length, breadth and depth of doorway, archway, window and aperture.

We are fully committed to providing first class service and support to the building industry. Our sales and technical teams are trained and experienced, with comprehensive product and industry knowledge.

Technical Services

For advice on the most appropriate lintel for wall constructions, loadings, products not listed in this price list or for further technical details, please call on 029 2033 7900.

Customer Services

To order or enquire about any Catnic product, please call on 029 2033 7900 or fax 029 2086 7796.

Please note: Prices included in this Price List represent the starting point for negotiations and are subject to agreement between Catnic and its customer.

Cavity Wall Lintels


100-115mm Inner Leaf

50-65mm Cavity Wall




(mm)	CG50/100	CH50/100	CX50/100
750	–	–	–
900	171.18	194.89	287.67
1050	–	224.48	337.21
1200	221.81	252.55	382.11
1350	–	288.72	432.89
1500	286.65	344.52	473.93
1650	–	417.93	524.39
1800	356.33	466.42	551.21
1950	–	536.15	618.35
2100	409.16	611.33	663.07
2250	–	643.54	747.33
2400	501.49	758.98	787.74
2550	–	–	818.81
2700	569.21	–	923.19
2850	–	–	1011.19
3000	788.01	–	1067.24
3300	879.65	–	1229.34
3600	965.24	–	1338.62
3900	–	–	1541.07
4200	–	–	1710.71
4575	–	–	1918.35
4800	–	–	2010.54

70-85mm Cavity Wall




(mm)	CG70/100	CH70/100	CX70/100
750	–	–	–
900	166.01	194.91	288.79
1050	–	228.37	354.80
1200	221.53	259.25	401.26
1350	–	294.50	438.01
1500	276.69	371.81	479.62
1650	–	451.32	531.04
1800	346.36	489.56	557.99
1950	–	547.03	630.62
2100	396.11	613.91	650.95
2250	–	661.76	761.20
2400	469.56	764.01	879.01
2550	–	–	936.23
2700	541.92	–	1002.63
2850	–	–	1055.75
3000	771.15	–	1114.81
3300	855.74	–	1299.72
3600	933.34	–	1420.49
3900	–	–	1579.49
4200	–	–	1765.63
4575	–	–	1927.28
4800	–	–	2044.90

90-105mm Cavity Wall



(mm)	CG90/100	CH90/100	CX90/100
750	147.41	–	–
900	172.66	235.88	313.33
1050	197.40	276.63	362.64
1200	230.16	316.19	411.29
1350	259.05	355.55	460.24
1500	287.76	408.26	509.21
1650	317.11	460.72	550.97
1800	346.36	501.48	605.81
1950	389.66	555.53	682.17
2100	411.93	621.83	730.91
2250	467.89	724.51	785.77
2400	496.70	776.59	877.87
2550	545.67	–	1018.26
2700	594.75	–	1079.02
2850	712.90	–	1136.92
3000	773.72	–	1218.47
3300	877.00	–	1396.39
3600	962.42	–	1523.46
3900	–	–	1699.02
4200	–	–	1948.15
4575	–	–	2185.83
4800	–	–	2331.57

110-125mm Cavity Wall



(mm)	CG110/100	CH110/100	CX110/100
750	169.75	–	–
900	203.61	319.04	377.85
1050	237.56	372.19	440.81
1200	271.52	425.35	503.76
1350	305.42	478.52	566.12
1500	339.34	531.69	629.71
1650	466.57	584.79	692.65
1800	509.05	638.00	755.59
1950	580.66	825.97	818.57
2100	625.36	889.51	881.55
2250	945.83	953.00	944.50
2400	1008.92	1016.56	1133.37
2550	1071.96	–	1204.21
2700	1135.04	–	1275.05
2850	1198.05	–	1345.88
3000	1258.99	–	1416.69
3300	1387.24	–	1687.77
3600	1513.34	–	1892.90
3900	–	–	2160.81
4200	–	–	2354.81
4575	–	–	2568.56
4800	–	–	2689.27

130-145mm Cavity Wall



(mm)	CG130/100	CH130/100	CX130/100
750	221.53	–	–
900	265.81	326.79	388.76
1050	310.07	381.32	453.53
1200	354.38	435.71	518.32
1350	398.64	490.19	583.11
1500	442.98	544.62	647.90
1650	487.22	599.08	712.68
1800	531.48	653.52	777.46
1950	605.09	848.47	842.23
2100	651.64	913.69	906.99
2250	974.00	978.94	1093.27
2400	1038.95	1044.21	1166.09
2550	1103.87	–	1238.98
2700	1168.78	–	1311.93
2850	1233.78	–	1384.78
3000	1298.65	–	1457.65
3300	1428.50	–	1927.71
3600	1558.36	–	2102.92
3900	–	–	2278.12
4200	–	–	2453.38
4575	–	–	2672.42
4800	–	–	2803.85

150-165mm Cavity Wall



(mm)	CG150/100	CH150/100	CX150/100
750	230.91	–	–
900	277.06	339.80	397.48
1050	323.24	396.39	463.74
1200	369.37	453.00	529.98
1350	415.55	509.62	596.24
1500	461.69	566.28	662.43
1650	507.88	622.84	728.69
1800	554.07	679.48	794.92
1950	619.71	876.52	861.18
2100	667.40	943.96	927.38
2250	996.55	1011.36	1117.80
2400	1062.94	1078.77	1192.32
2550	1129.37	–	1266.84
2700	1195.84	–	1341.35
2850	1262.25	–	1415.86
3000	1328.67	–	1490.37
3300	1461.52	–	1972.73
3600	1594.40	–	2152.03
3900	–	–	2331.37
4200	–	–	2510.73
4575	–	–	2734.86
4800	–	–	2869.39

Please note: Non stocked products are subject to longer lead times, please enquire with Catnic sales.

Thermally Broken Cavity Wall Lintels

100-115 mm Inner Leaf

90-105mm Cavity Wall




(mm)	TS90/100	TH90/100	TX90/100
750	246.40	288.26	573.50
900	294.08	345.90	688.19
1050	344.78	403.54	802.89
1200	392.26	461.21	917.58
1350	441.27	518.85	1032.28
1500	493.42	576.49	1146.95
1650	579.80	634.11	1261.68
1800	632.52	691.79	1376.35
1950	685.46	928.66	1491.04
2100	738.17	1000.08	1605.74
2250	1113.09	1383.35	1720.42
2400	1138.43	1475.59	1835.12
2550	1253.27	–	1949.81
2700	1335.72	–	2064.52
2850	1503.54	–	2179.18
3000	1582.68	–	2293.89
3300	1740.95	–	2523.28
3600	1899.21	–	2752.66
3900	–	–	2982.05
4200	–	–	3211.43
4575	–	–	3498.17
4800	–	–	3670.21

110-125mm Cavity Wall




(mm)	TS110/100	TH110/100	TX110/100
750	292.13	341.77	679.96
900	348.68	410.11	815.95
1050	408.77	478.45	951.92
1200	465.05	546.79	1087.89
1350	523.19	615.13	1223.89
1500	584.99	683.48	1359.87
1650	687.39	751.84	1495.86
1800	749.89	820.18	1631.84
1950	812.67	1101.04	1767.82
2100	875.19	1185.73	1903.81
2250	1319.73	1640.13	2039.79
2400	1349.77	1749.47	2175.77
2550	1485.87	–	2311.74
2700	1583.67	–	2447.73
2850	1782.63	–	2583.73
3000	1876.46	–	2719.70
3300	2064.12	–	2991.67
3600	2251.75	–	3263.65
3900	–	–	3535.62
4200	–	–	3807.58
4575	–	–	4147.55
4800	–	–	4351.53

130-145mm Cavity Wall




(mm)	TS130/100	TH130/100	TX130/100
750	338.04	369.09	734.34
900	403.46	442.91	881.21
1050	472.98	516.74	1028.07
1200	538.14	590.54	1174.93
1350	605.39	664.36	1321.81
1500	676.94	738.17	1468.64
1650	795.41	811.99	1615.53
1800	867.75	885.80	1762.38
1950	940.38	1189.10	1909.23
2100	1012.73	1280.59	2056.10
2250	1527.10	1771.34	2202.97
2400	1561.88	1889.43	2349.82
2550	1719.36	–	2496.70
2700	1832.51	–	2643.56
2850	2062.77	–	2790.40
3000	2171.33	–	2937.27
3300	2388.49	–	3231.01
3600	2605.61	–	3524.72
3900	–	–	3818.45
4200	–	–	4112.19
4575	–	–	4479.33
4800	–	–	4699.63

150-165mm Cavity Wall



(mm)	TS150/100	TH150/100	TX150/100
750	347.21	380.81	757.68
900	414.43	456.97	909.18
1050	485.83	533.13	1060.71
1200	552.74	609.29	1212.24
1350	621.83	685.46	1363.75
1500	695.28	761.60	1515.27
1650	817.01	837.77	1666.80
1800	891.31	913.91	1818.34
1950	965.92	1226.84	1969.85
2100	1040.21	1321.24	2121.39
2250	1568.57	1827.57	2272.90
2400	1604.29	1949.42	2424.44
2550	1766.05	–	2575.94
2700	1882.29	–	2727.49
2850	2118.80	–	2879.02
3000	2230.31	–	3030.52
3300	2453.33	–	3333.58
3600	2676.35	–	3636.64
3900	–	–	3939.68
4200	–	–	4242.72
4575	–	–	4621.53
4800	–	–	4848.81

170-185mm Cavity Wall



(mm)	TS170/100	TH170/100	TX170/100
750	356.39	392.56	780.96
900	425.38	471.04	937.15
1050	498.68	549.51	1093.33
1200	567.36	628.04	1249.53
1350	638.26	706.55	1405.7
1500	713.65	785.02	1561.89
1650	838.62	863.54	1718.06
1800	914.87	942.05	1874.28
1950	991.46	1264.61	2030.47
2100	1067.7	1361.89	2186.66
2250	1646.72	1883.79	2342.85
2400	1812.77	2009.4	2499.03
2550	1932.05	–	2655.22
2700	1932.05	–	2811.41
2850	2174.83	–	2967.59
3000	2289.26	–	3123.75
3300	2518.2	–	3436.15
3600	2747.14	–	3748.55
3900	–	–	4060.89
4200	–	–	4373.29
4575	–	–	4763.74
4800	–	–	4998.04

190-205mm Cavity Wall



(mm)	TS190/100	TH190/100	TX190/100
750	365.56	404.24	804.29
900	436.35	485.09	965.12
1050	511.52	565.91	1125.97
1200	581.97	646.75	1286.83
1350	654.68	727.65	1447.7
1500	732.02	808.45	1608.52
1650	860.22	889.32	1769.34
1800	938.44	970.18	1930.24
1950	1017.01	1302.56	2091.24
2100	1095.21	1402.56	2251.94
2250	1651.52	1940	2451.94
2400	1689.13	2069.30	2412.76
2550	1859.47	–	2573.66
2700	1981.84	–	2895.36
2850	2230.83	–	3056.18
3000	2348.24	–	3.217
3300	2583.07	–	3538.72
3600	2817.92	–	3860.45
3900	–	–	4182.1
4200	–	–	4503.83
4575	–	–	4905.93
4800	–	–	5147.21

Our Thermally Broken lintel range now includes options with a 120mm wide outer leaf, a 145mm extended toe, and variations with 60mm and 75mm reduced toes. For more information, please contact our customer service team at **02920 337900**

Cavity Wall Lintels

125-140mm Wide Inner Leaf

50-65mm Cavity Wall




(mm)	CH50/125	CX50/125
750	—	—
900	223.91	311.14
1050	287.76	363.00
1200	314.38	417.78
1350	360.98	466.67
1500	417.05	518.51
1650	469.22	555.70
1800	517.61	598.54
1950	613.43	648.06
2100	661.52	722.90
2250	714.84	822.44
2400	762.64	906.04
2550	—	1009.59
2700	—	1128.73
2850	—	1243.91
3000	—	1377.68
3300	—	1515.70
3600	—	1653.42
3900	—	1789.92
4200	—	1988.33
4575	—	2131.32
4800	—	2272.74

70-85mm Cavity Wall



(mm)	CH70/125	CX70/125
750	—	—
900	290.97	318.30
1050	340.47	391.84
1200	399.18	427.64
1350	477.92	501.71
1500	531.45	541.73
1650	601.07	625.64
1800	656.19	670.61
1950	769.70	778.78
2100	826.43	853.02
2250	893.58	981.36
2400	987.97	1063.11
2550	—	1129.50
2700	—	1195.92
2850	—	1323.30
3000	—	1426.44
3300	—	1571.01
3600	—	1764.45
3900	—	1892.74
4200	—	2075.83
4575	—	2236.31
4800	—	2363.31


90-105mm Cavity Wall



(mm)	CG90/125	CH90/125	CX90/125
750	—	—	—
900	236.21	340.47	350.96
1050	—	402.30	436.42
1200	310.16	443.57	484.14
1350	—	514.14	551.30
1500	386.74	562.51	671.96
1650	—	792.16	792.85
1800	489.30	854.35	864.96
1950	—	924.83	937.05
2100	579.87	1005.74	1027.69
2250	—	1081.16	1101.17
2400	819.09	1153.24	1174.54
2550	—	—	1247.94
2700	947.79	—	1339.53
2850	—	—	1398.95
3000	1363.13	—	1522.09
3300	—	—	1696.61
3600	—	—	1889.67
3900	—	—	2015.95
4200	—	—	2160.95
4575	—	—	2345.33
4800	—	—	2458.29


125-140mm Wide Inner Leaf

110-125mm Cavity Wall



(mm)	CG110/125	CH110/125	CX110/125
750	—	—	—
900	240.25	340.95	393.11
1050	—	397.77	458.64
1200	320.32	454.61	524.11
1350	—	511.39	589.64
1500	400.38	568.22	764.30
1650	—	810.69	840.74
1800	504.57	884.40	917.14
1950	—	958.05	993.59
2100	699.70	1031.77	1069.98
2250	—	1105.49	1146.40
2400	1026.43	1179.17	1419.34
2550	—	—	1508.04
2700	1154.74	—	1596.77
2850	—	—	1685.49
3000	1283.05	—	1774.19
3300	—	—	2011.85
3600	—	—	2194.75
3900	—	—	2377.62
4200	—	—	2560.51
4575	—	—	2789.12
4800	—	—	2926.31

130-145mm Cavity Wall



(mm)	CG130/125	CH130/125	CX130/125
750	—	—	—
900	300.27	402.20	546.26
1050	—	469.20	637.35
1200	396.83	536.23	728.37
1350	—	603.22	819.40
1500	489.48	670.27	910.41
1650	—	737.30	1001.39
1800	598.93	804.34	1092.47
1950	—	1019.31	1183.50
2100	783.17	1097.79	1274.55
2250	—	1176.18	1365.54
2400	1061.73	1254.57	1456.59
2550	—	—	1547.60
2700	1283.57	—	1638.68
2850	—	—	1729.72
3000	1426.07	—	1820.76
3300	—	—	2071.83
3600	—	—	2260.21
3900	—	—	2448.55
4200	—	—	2636.88
4575	—	—	2872.40
4800	—	—	3013.60


150-165mm Cavity Wall



(mm)	CG150/125	CH150/125	CX150/125
750	—	—	—
900	337.58	426.34	625.66
1050	—	497.35	729.96
1200	450.05	568.30	834.16
1350	—	639.36	938.42
1500	562.51	710.39	1041.60
1650	—	781.53	1146.95
1800	675.01	852.59	1251.25
1950	—	983.88	1355.46
2100	866.64	1059.53	1459.72
2250	—	1135.20	1563.87
2400	1137.82	1210.89	1668.27
2550	—	—	1772.55
2700	1356.6	—	1876.71
2850	—	—	1974.94
3000	1479.29	—	2079.88
3300	—	—	2372.90
3600	—	—	2588.65
3900	—	—	2804.33
4200	—	—	3020.04
4575	—	—	3289.75
4800	—	—	3451.54

Cavity Wall Lintels

140-150mm Wide Outer Leaf



A full range of lintel is available to suit reduced outer leaf and wide outer leaf applications for both traditional and Thermally Broken Lintels.

Closed Eaves Lintels

90-125mm Cavity Wall



(mm)	CGE90/100
900	120 . 53
1050	145 . 59
1200	159 . 87
1350	179 . 91
1500	202 . 88
1650	225 . 62
1800	277 . 39
2100	325 . 12
2400	463 . 1
2700	520 . 67

Extreme Loads* Lintels





Cavity

100-105mm

110-125mm

130-15mm

150-165mm



CBP100/100

CBP110/100

CBP130/100

CBP150/100

1224 . 11

1384 . 54

1428 . 01

1471 . 55

Cavity

50-65mm



70-85mm

90-105mm

110-125mm

130-145mm

150-165mm



CXL240

CXL265

CXL290

CXL310

CXL330

CXL350

977 . 75

1059 . 87

1224 . 11

1384 . 55

1428 . 01

1471 . 55

Please note: *price per metre, these products are subject to longer lead times, please enquire with Catnic sales.

Internal Solid Wall Lintels

75mm, 100mm and 140 mm

Wall thickness	75mm	100mm	100mm	100mm			140mm		
									
(mm)	CN92	CN102	CN100	BSD100	BHD100	BXD100	BSD140	BHD140	BXD140
750	–	–	–	137.81	159.58	245.13	–	–	–
900	–	–	–	151.21	175.09	294.17	–	–	–
1050	29.95	37.89	92.47	165.81	191.97	343.16	179.32	201.74	361.07
1200	33.91	41.82	114.85	170.09	196.95	399.72	204.95	230.57	412.64
1350	–	–	–	180.47	208.95	437.23	230.57	259.35	464.24
1500	–	–	–	191.09	225.90	477.39	256.16	288.16	515.79
1650	–	–	–	241.99	487.22	636.98	281.78	549.78	667.17
1800	–	–	–	264.71	522.53	694.90	307.37	599.76	727.83
1950	–	–	–	288.07	542.91	752.79	333.00	649.75	788.46
2100	–	–	–	302.55	584.66	810.69	358.58	699.70	849.10
2250	–	–	–	358.19	590.70	823.59	396.86	749.71	909.76
2400	–	–	–	382.20	630.00	889.81	423.62	799.64	970.41
2550	–	–	–	413.93	669.32	893.02	450.19	849.64	1031.05
2700	–	–	–	437.80	708.74	904.47	477.26	899.61	1091.68
2850	–	–	–	721.74	911.54	–	949.59	1044.21	–
3000	–	–	–	759.94	944.50	–	999.56	1099.15	–
3300	–	–	–	839.02	1055.44	–	1099.52	1209.06	–
3600	–	–	–	917.79	1151.41	–	1199.45	1318.97	–
3900	–	–	–	1230.69	2152.81	–	1428.89	2415.75	–
4200	–	–	–	1325.36	2318.42	–	1538.82	2601.54	–
4575	–	–	–	1443.69	2521.11	–	1676.18	2833.92	–
4800	–	–	–	1486.20	2649.57	–	1758.62	2973.29	–

External Solid Wall Lintels

Exterior Solid Wall 200-215mm

Fairface Brick 215mm

						
(mm)	CN71A	CN71C	CN81B	CN81C	CN50C	CN51C
750	—	—	—	—	—	—
900	217.77	363.22	—	—	217.77	—
1050	253.62	423.74	—	—	—	—
1200	281.21	484.24	—	—	281.21	—
1350	325.34	544.73	—	—	325.34	—
1500	368.31	605.32	—	—	368.31	—
1650	406.4	665.78	—	—	—	—
1800	444.57	726.32	—	—	444.57	—
1950	457.94	786.84	—	—	—	—
2100	518.02	—	867.95	1078.90	—	518.02
2250	606.64	—	881.61	1155.86	—	—
2400	645.15	—	940.23	1184.04	—	645.15
2550	666.83	—	999.05	1224.93	—	—
2700	705.82	—	1038.46	1257.45	—	705.82
2850	—	—	1059.20	1359.25	—	—
3000	—	—	1086.76	1429.00	—	—
3300	—	—	1135.44	1478.84	—	—
3600	—	—	1282.06	1605.78	—	—
3900	—	—	—	1733.20	—	—
4200	—	—	—	1839.16	—	—
4575	—	—	—	1927.88	—	—
4800	—	—	—	2054.85	—	—

Single Leaf Lintels

102mm Exterior Wall



(mm)	MBA	ANG	CCS
750	62.01	–	98.95
900	–	99.24	117.90
1050	–	115.75	138.36
1200	–	132.05	157.57
1350	111.37	148.58	177.85
1500	–	165.20	197.36
1650	–	204.39	216.88
1800	–	222.86	236.75
1950	–	241.21	324.76
2100	–	262.84	349.69
2250	–	341.20	374.70
2400	–	363.40	399.68
2550	–	527.71	566.16
2700	–	558.86	599.47
2850	–	614.73	632.77
3000	–	676.22	666.04
3300	–	942.81	1172.02
3600	–	1028.58	1278.61
3900	–	1114.26	1385.12
4200	–	–	1491.67
4575	–	–	1624.81
4800	–	–	1704.76

Timber Frame Lintels

Cavity thickness 50-65mm 70-85mm 90-105mm



(mm)	CTF5	CTF7	CTF9
750	61.00	63.96	75.67
900	72.80	76.74	89.34
1050	85.40	89.46	104.86
1200	97.56	102.18	120.02
1350	114.74	144.94	136.06
1500	125.63	161.05	156.06
1650	155.51	192.09	190.09
1800	169.81	209.56	212.94
1950	191.26	227.01	240.88
2100	209.69	244.47	259.46
2250	256.34	261.96	295.09
2400	281.21	279.41	343.70
2550	305.51	429.17	395.30
2700	326.52	454.53	419.08
2850	430.65	479.70	527.06
3000	453.43	504.93	554.85
3300	504.28	598.48	796.42
3600	754.20	652.85	868.86
3900	817.26	774.06	1072.07
4200	880.21	833.69	1154.52
4575	942.86	908.04	1257.60
4800	991.18	952.73	1319.48

Heavy duty CTF's are available on request. All timber frame lintels must be fixed using restraint clips which are supplied free of charge, and propped during construction.

Arch Lintels

Standard Semi-circular Arch Lintels



CCA600	CCA630	CCA900	CCA915	CCA1200
924.80	957.97	1267.10	1283.70	1614.20

CCB600	CCB630	CCB900	CCB915	CCB1200
951.86	986.01	1303.50	1321.60	1661.00

All made to order products are subject to longer lead times, please enquire with Catnic sales.

Arch Centres



Code	Length (mm)	Minimum Opening (mm)	Maximum Opening (mm)	Rise (mm)	£/each
ACA0475	450	450	500	75	90.49
ACA0575	550	550	600	75	88.97
ACA0625	600	600	650	75	101.70
ACA0675	650	650	700	75	110.54
ACA0925	900	900	950	75	122.84
ACA1025	1000	1000	1050	75	161.18
ACA1075	1050	1050	1100	75	132.25
ACA1125	1100	1100	1150	75	142.50
ACA1225	1200	1200	1250	75	142.05
ACA1275	1250	1250	1300	75	161.18
ACA1375	1350	1350	1400	75	153.92
ACA1475	1450	1450	1500	75	166.56
ACA1575	1550	1550	1600	75	186.09
ACA1675	1650	1650	1700	75	194.26
ACA1775	1750	1750	1800	75	193.90
ACA1825	1800	1800	1850	75	206.72
ACA1925	1900	1900	1950	75	268.80
ACA2125	2100	2100	2150	75	299.47
ACA2275	2250	2250	2300	75	324.86

Accessories

PVCu Soffit Cladding (Price per metre)

FC White	FC Grey	FC Black
12.91	38.04	23.25



External Plaster Key

PKS87
175.52 per pack - 10 x 1.2m



Special Lintels

Explore a diverse range of shapes for unique designs and features that inspire today's architects and builders, including bay and corner lintels.

Prices on application. All made to order products are subject to longer lead times, please enquire with Catnic sales.

Customer Services

To order or enquire about any Catnic product, please call on 029 2033 7900 or fax 029 2086 7796.


Technical Services

For advice on the most appropriate lintel for wall constructions, loadings, products not listed in this price list or for further technical details, please call on 029 2033 7900.

Examples



Parabolic Arch Lintel



Bull's Eye Lintel



Curved On Plan Lintel

Stainless Steel Lintels

All galvanised steel lintel products shown in the current lintel brochure are available in stainless steel. Special lintels are also available in stainless steel. Prices available on application.

Juliet Balconies

A standard range of Juliet Balconies are available from Catnic. Juliet Balconies are commonly used to provide a safety barrier in front of French windows. Prices available on application.



catnic.com

Care has been taken to ensure that the contents of this publication are accurate, but Tata Steel Europe Limited and its subsidiaries, which includes Tata Steel UK Limited, do not accept responsibility or liability for errors or information that is found to be misleading. Suggestions for, or descriptions of, the end use or application of products or methods of working are for information only and Tata Steel Europe Limited and its subsidiaries accept no liability in respect thereof.

Before using products or services supplied or manufactured by Tata Steel Europe Limited and its subsidiaries, customers should satisfy themselves as to their suitability.

Catnic reserves the right to change information contained within this brochure at any time.

© Copyright 2025 Tata Steel UK Limited

Catnic

Pontypandy Industrial Estate
Caerphilly
CF83 3GL

T: 029 2033 7900
F: 029 2086 7796
catnic.com

Tata Steel UK Limited

18 Grosvenor Place
London
SW1X 7HS
Registered in England No. 02280000

English version 04/2025