

catnic®



Lintel Trade Price List

UNICLASS L325:P4142		EPIC F631:X442	
CL/SFB	(31.9)	HH2	
JUNE 2026			



Build it better with Catnic

Catnic is committed to offering brand leading steel lintels to suit any size, shape, length, breadth and depth of doorway, archway, window and aperture.

We are fully committed to providing first class service and support to the building industry. Our sales and technical teams are trained and experienced, with comprehensive product and industry knowledge.

Technical Services

For advice on the most appropriate lintel for wall constructions, loadings, products not listed in this price list or for further technical details, please call on 029 2033 7900.

Customer Services

To order or enquire about any Catnic product, please call on 029 2033 7900 or fax 029 2086 7796.

Please note: Prices included in this Price List represent the starting point for negotiations and are subject to agreement between Catnic and its customer.

Cavity Wall Lintels

100-115mm Inner Leaf

50-65mm Cavity Wall



(mm)	CG50/100	CH50/100	CX50/100
750	–	–	–
900	191.73	218.28	322.20
1050	–	–	–
1200	248.43	282.86	427.97
1350	–	–	–
1500	321.05	385.87	530.81
1650	–	–	–
1800	399.09	522.40	617.36
1950	–	–	–
2100	458.26	684.69	742.64
2250	–	–	–
2400	561.67	850.06	882.27
2550	–	–	–
2700	637.52	–	1033.98
2850	–	–	–
3000	882.58	–	1195.31
3300	985.21	–	1376.87
3600	1081.07	–	1499.26
3900	–	–	1726.00
4200	–	–	1916.00
4500	–	–	2148.56
4800	–	–	2251.81

70-85mm Cavity Wall



(mm)	CG70/100	CH70/100	CX70/100
750	–	–	–
900	185.94	218.30	323.45
1050	–	–	–
1200	248.12	290.36	449.42
1350	–	–	–
1500	309.90	416.43	537.18
1650	–	505.48	–
1800	387.93	548.31	624.95
1950	–	–	–
2100	443.65	687.58	729.07
2250	–	741.18	–
2400	525.91	855.70	984.50
2550	–	–	–
2700	606.96	–	1122.95
2850	–	–	–
3000	863.69	–	1248.59
3300	958.43	–	1455.69
3600	1045.35	–	1590.95
3900	–	–	1769.03
4200	–	–	1977.51
4500	–	–	2158.56
4800	–	–	2290.29

90-105mm Cavity Wall



(mm)	CG90/100	CH90/100	CX90/100
750	165.10	–	–
900	193.38	264.19	350.93
1050	221.09	309.83	406.16
1200	257.78	354.14	460.65
1350	290.14	398.22	515.47
1500	322.30	457.26	570.32
1650	355.17	516.01	617.09
1800	387.93	561.66	678.51
1950	436.42	622.20	764.04
2100	461.37	696.45	818.62
2250	524.04	811.46	880.07
2400	556.31	869.79	983.22
2550	611.16	–	1140.46
2700	666.12	–	1208.51
2850	798.45	–	1273.36
3000	866.57	–	1364.69
3300	982.24	–	1563.96
3600	1077.92	–	1706.28
3900	–	–	1902.91
4200	–	–	2181.93
4500	–	–	2448.13
4800	–	–	2611.36

110-125mm Cavity Wall



(mm)	CG110/100	CH110/100	CX110/100
750	190.12	–	–
900	228.05	357.33	423.20
1050	266.07	416.86	493.71
1200	304.11	476.40	564.22
1350	342.08	535.95	634.06
1500	380.07	595.50	705.28
1650	522.56	654.97	775.77
1800	570.14	714.56	846.27
1950	650.34	925.09	1031.36
2100	700.41	996.26	1110.69
2250	1059.33	1067.36	1190.03
2400	1130.00	1138.55	1269.38
2550	1200.60	–	1348.72
2700	1271.25	–	1428.06
2850	1341.82	–	1507.39
3000	1410.07	–	1586.70
3300	1553.71	–	1890.31
3600	1694.95	–	2120.05
3900	–	–	2420.11
4200	–	–	2637.39
4500	–	–	2876.79
4800	–	–	3011.99

130-145mm Cavity Wall



(mm)	CG130/100	CH130/100	CX130/100
750	248.12	–	–
900	297.71	366.01	435.42
1050	347.28	427.08	507.96
1200	396.91	488.00	580.52
1350	446.48	549.02	653.09
1500	496.14	609.98	725.65
1650	545.69	670.97	798.21
1800	595.26	731.95	870.76
1950	677.71	950.29	1061.17
2100	729.84	1023.34	1142.80
2250	1090.88	1096.42	1224.47
2400	1163.63	1169.52	1306.03
2550	1236.34	–	1387.66
2700	1309.04	–	1469.37
2850	1381.84	–	1550.96
3000	1454.49	–	1632.57
3300	1599.92	–	2159.04
3600	1745.37	–	2355.28
3900	–	–	2551.50
4200	–	–	2747.79
4500	–	–	2993.12
4800	–	–	3140.32

150-165mm Cavity Wall



(mm)	CG150/100	CH150/100	CX150/100
750	258.62	–	–
900	310.31	380.58	445.18
1050	362.03	443.96	519.39
1200	413.70	507.36	593.58
1350	465.42	570.78	667.79
1500	517.10	634.24	741.93
1650	568.83	697.59	816.14
1800	620.56	761.02	890.32
1950	694.08	981.71	1085.00
2100	747.49	1057.24	1168.47
2250	1116.14	1132.73	1251.94
2400	1190.50	1208.23	1335.40
2550	1264.90	–	1418.87
2700	1339.35	–	1502.32
2850	1413.72	–	1585.77
3000	1488.12	–	1669.22
3300	1636.91	–	2209.46
3600	1785.73	–	2410.28
3900	–	–	2611.14
4200	–	–	2812.02
4500	–	–	3063.05
4800	–	–	3213.72

Please note: Non stocked products are subject to longer lead times, please enquire with Catnic sales.

Cavity Wall Lintels

125-140mm Wide Inner Leaf

50-65mm Cavity Wall




(mm)	CX50/125
750	–
900	348.48
1050	–
1200	467.92
1350	–
1500	580.74
1650	–
1800	670.37
1950	–
2100	809.65
2250	–
2400	1014.77
2550	–
2700	1264.18
2850	–
3000	1543.01
3300	1697.59
3600	1851.84
3900	2004.72
4200	2226.93
4500	2387.08
4800	2545.47

70-85mm Cavity Wall



(mm)	CX70/125
750	–
900	356.50
1050	–
1200	478.96
1350	–
1500	606.74
1650	–
1800	751.09
1950	–
2100	955.39
2250	–
2400	1190.69
2550	–
2700	1339.44
2850	–
3000	1597.62
3300	1759.54
3600	1976.19
3900	2119.87
4200	2324.93
4500	2504.67
4800	2646.91

90-105mm Cavity Wall



(mm)	CG90/125	CH90/125	CX90/125
750	–	–	–
900	264.56	381.33	393.08
1050	–	450.58	488.80
1200	347.38	496.80	542.24
1350	–	575.84	617.46
1500	433.15	630.02	752.60
1650	–	887.22	888.00
1800	548.02	956.88	968.76
1950	–	1035.81	1049.50
2100	649.46	1126.43	1151.02
2250	–	1210.90	1233.32
2400	917.39	1291.63	1315.49
2550	–	–	1397.70
2700	1061.53	–	1500.28
2850	–	–	1566.83
3000	1526.71	–	1704.75
3300	–	–	1900.21
3600	–	–	2116.44
3900	–	–	2257.87
4200	–	–	2420.27
4500	–	–	2626.77
4800	–	–	2753.29


125-140mm Wide Inner Leaf

110-125mm Cavity Wall




(mm)	CG110/125	CH110/125	CX110/125
750	–	–	–
900	269.08	381.87	440.29
1050	–	445.51	513.68
1200	358.76	509.17	587.01
1350	–	572.76	660.40
1500	448.43	636.41	856.02
1650	–	907.98	941.63
1800	565.12	990.53	1027.20
1950	–	1073.02	1112.83
2100	783.67	1155.59	1198.38
2250	–	1238.15	1283.97
2400	1149.61	1320.68	1589.67
2550	–	–	1689.01
2700	1293.31	–	1788.39
2850	–	–	1887.75
3000	1437.02	–	1987.10
3300	–	–	2253.28
3600	–	–	2458.12
3900	–	–	2662.94
4200	–	–	2867.78
4500	–	–	3123.82
4800	–	–	3277.47

130-145mm Cavity Wall



(mm)	CG130/125	CH130/125	CX130/125
750	–	–	–
900	336.31	450.47	611.82
1050	–	525.51	713.84
1200	444.45	600.58	815.78
1350	–	675.61	917.73
1500	548.22	750.71	1019.66
1650	–	825.78	1121.56
1800	670.81	900.87	1223.57
1950	–	1141.63	1325.52
2100	877.16	1229.53	1427.50
2250	–	1317.33	1529.41
2400	1189.14	1405.12	1631.39
2550	–	–	1733.32
2700	1437.60	–	1835.33
2850	–	–	1937.29
3000	1597.20	–	2039.26
3300	–	–	2320.45
3600	–	–	2531.44
3900	–	–	2742.38
4200	–	–	2953.31
4500	–	–	3217.09
4800	–	–	3375.24

150-165mm Cavity Wall




(mm)	CG150/125	CH150/125	CX150/125
750	–	–	–
900	378.09	477.51	700.74
1050	–	557.04	817.56
1200	504.06	636.50	934.26
1350	–	716.09	1051.04
1500	630.02	795.64	1166.60
1650	–	875.32	1284.59
1800	756.02	954.91	1401.40
1950	–	1101.95	1518.12
2100	970.64	1186.68	1634.89
2250	–	1271.43	1751.54
2400	1274.36	1356.20	1868.47
2550	–	–	1985.26
2700	1519.40	–	2101.92
2850	–	–	2211.94
3000	1656.81	–	2329.47
3300	–	–	2657.65
3600	–	–	2899.29
3900	–	–	3140.85
4200	–	–	3382.45
4500	–	–	3684.52
4800	–	–	3865.73

Thermally Broken Cavity Wall Lintels

100-115 mm Inner Leaf

90-105mm Cavity Wall



(mm)	TS90/100	TH90/100	TX90/100
750	275.97	–	–
900	329.37	366.66	688.19
1050	386.16	427.76	802.89
1200	439.34	488.89	917.58
1350	494.23	549.99	1032.28
1500	552.64	611.08	1146.95
1650	649.38	672.16	1261.68
1800	708.43	733.30	1376.35
1950	767.72	984.38	1491.04
2100	826.76	1060.09	1605.74
2250	1246.67	1466.36	1720.42
2400	1275.05	1564.13	1835.12
2550	1403.67	–	1949.81
2700	1496.01	–	2064.52
2850	1683.97	–	2179.18
3000	1772.61	–	2293.89
3300	1949.87	–	2523.28
3600	2127.12	–	2752.66
3900	–	–	2982.05
4200	–	–	3211.43
4500	–	–	3498.17
4800	–	–	3670.21

110-125mm Cavity Wall



(mm)	TS110/100	TH110/100	TX110/100
750	327.19	–	–
900	390.53	434.72	815.95
1050	457.83	507.16	951.92
1200	520.86	579.60	1087.89
1350	585.98	652.04	1223.89
1500	655.19	724.49	1359.87
1650	769.88	796.96	1495.86
1800	839.88	869.40	1631.84
1950	910.20	1167.11	1767.82
2100	980.22	1256.88	1903.81
2250	1478.10	1738.54	2039.79
2400	1511.75	1854.44	2175.77
2550	1664.18	–	2311.74
2700	1773.72	–	2447.73
2850	1996.55	–	2583.73
3000	2101.64	–	2719.70
3300	2311.82	–	2991.67
3600	2521.96	–	3263.65
3900	–	–	3535.62
4200	–	–	3807.58
4500	–	–	4147.55
4800	–	–	4351.53

130-145mm Cavity Wall



(mm)	TS130/100	TH130/100	TX130/100
750	378.61	–	–
900	451.88	469.49	881.21
1050	529.74	547.75	1028.07
1200	602.72	625.98	1174.93
1350	678.04	704.23	1321.81
1500	758.18	782.47	1468.64
1650	890.86	860.71	1615.53
1800	971.88	938.95	1762.38
1950	1053.23	1260.45	1909.23
2100	1134.26	1357.43	2056.10
2250	1710.36	1877.63	2202.97
2400	1749.31	2002.80	2349.82
2550	1925.69	–	2496.70
2700	2052.42	–	2643.56
2850	2310.31	–	2790.40
3000	2431.89	–	2937.27
3300	2675.11	–	3231.01
3600	2918.29	–	3524.72
3900	–	–	3818.45
4200	–	–	4112.19
4500	–	–	4479.33
4800	–	–	4699.63

150-165mm Cavity Wall



(mm)	TS150/100	TH150/100	TX150/100
750	388.88	–	–
900	464.17	484.39	909.18
1050	544.13	565.12	1060.71
1200	619.07	645.85	1212.24
1350	696.45	726.59	1363.75
1500	778.72	807.30	1515.27
1650	915.06	888.04	1666.80
1800	998.27	968.75	1818.34
1950	1081.84	1300.46	1969.85
2100	1165.04	1400.52	2121.39
2250	1756.80	1937.23	2272.90
2400	1796.81	2066.39	2424.44
2550	1977.98	–	2575.94
2700	2108.17	–	2727.49
2850	2373.06	–	2879.02
3000	2497.95	–	3030.52
3300	2747.73	–	3333.58
3600	2997.52	–	3636.64
3900	–	–	3939.68
4200	–	–	4242.72
4500	–	–	4621.53
4800	–	–	4848.81

170-185mm Cavity Wall



(mm)	TS170/100	TH170/100	TX170/100
750	399.16	–	–
900	476.43	499.31	937.15
1050	558.53	582.49	1093.33
1200	635.45	665.73	1249.53
1350	714.86	748.95	1405.70
1500	799.29	832.13	1561.89
1650	939.26	915.36	1718.06
1800	1024.66	998.58	1874.28
1950	1110.44	1340.49	2030.47
2100	1195.83	1443.61	2186.66
2250	1803.24	1996.82	2342.85
2400	1844.33	2129.97	2499.03
2550	2030.31	–	2655.22
2700	2163.90	–	2811.41
2850	2435.81	–	2967.59
3000	2563.98	–	3123.75
3300	2820.39	–	3436.15
3600	3076.80	–	3748.55
3900	–	–	4060.89
4200	–	–	4373.29
4500	–	–	4763.74
4800	–	–	4998.04

190-205mm Cavity Wall




(mm)	TS190/100	TH190/100	TX190/100
750	409.43	–	–
900	488.72	514.20	965.12
1050	572.91	599.87	1125.97
1200	651.81	685.56	1286.83
1350	733.25	771.31	1447.70
1500	819.87	856.96	1608.52
1650	963.45	942.68	1769.34
1800	1051.06	1028.40	1930.24
1950	1139.06	1380.51	2091.07
2100	1226.64	1486.72	2251.94
2250	1849.71	2056.40	2412.76
2400	1891.83	2193.56	2573.66
2550	2082.61	–	2734.45
2700	2219.67	–	2895.36
2850	2498.53	–	3056.18
3000	2630.03	–	3217.00
3300	2893.04	–	3538.72
3600	3156.08	–	3860.45
3900	–	–	4182.10
4200	–	–	4503.83
4500	–	–	4905.93
4800	–	–	5147.21

Our Thermally Broken lintel range is available with variations to the outer leaf. Extended toes of 145mm and 120mm, and reduced toes of 75mm and 60mm. For more information, please contact our customer service team at 02920 337900'

Thermally Broken Cavity Wall Lintels


125-140mm Wide Inner Leaf

90-105mm Cavity Wall




(mm)	TS90/125	TH90/125	TX90/125
750	349.16	387.35	710.43
900	416.77	464.78	852.51
1050	488.59	542.25	994.60
1200	555.88	619.73	1136.68
1350	915.85	697.17	1278.77
1500	1024.11	774.65	1420.84
1650	1081.40	852.08	1562.94
1800	1179.70	929.55	1705.03
1950	1278.01	1219.44	1847.09
2100	1376.32	1313.24	1989.18
2250	1559.85	1816.53	2137.15
2400	1595.37	1937.63	2279.63
2550	1849.61	–	2422.09
2700	1971.28	–	2564.58
2850	2086.12	–	2707.04
3000	2195.90	–	2849.52
3300	–	–	3134.47
3600	–	–	3419.43
3900	–	–	3704.37
4200	–	–	3989.32
4500	–	–	4345.51
4800	–	–	4559.22

110-125mm Cavity Wall



(mm)	TS110/125	TH110/125	TX110/125
750	411.68	–	–
900	491.35	550.87	1009.92
1050	576.05	642.65	1178.23
1200	655.36	734.46	1346.53
1350	781.92	826.25	1514.85
1500	868.11	918.06	1683.17
1650	955.63	1009.85	1851.46
1800	1042.52	1101.65	2019.79
1950	1380.94	1444.57	2188.10
2100	1629.17	1555.69	2356.43
2250	1849.90	2151.86	2535.64
2400	1892.01	2295.33	2704.68
2550	2192.53	–	2873.73
2700	2336.86	–	3042.76
2850	2471.22	–	3211.81
3000	2601.31	–	3380.85
3300	–	–	3718.90
3600	–	–	4057.01
3900	–	–	4395.10
4200	–	–	4733.19
4500	–	–	5155.78
4800	–	–	5409.34

130-145mm Cavity Wall



(mm)	TS130/125	TH130/125	TX130/125
750	476.11	–	–
900	568.27	594.71	1090.42
1050	666.23	693.83	1272.16
1200	757.99	792.96	1453.89
1350	828.57	892.05	1635.61
1500	946.93	991.16	1817.36
1650	1203.39	1090.26	1999.11
1800	1400.67	1189.39	2180.83
1950	1747.79	1559.73	2362.55
2100	1882.22	1679.71	2544.27
2250	2139.82	2323.45	2737.88
2400	2188.55	2478.32	2920.40
2550	2535.11	–	3102.93
2700	2701.96	–	3285.44
2850	2858.87	–	3467.98
3000	3009.32	–	3650.49
3300	–	–	4015.54
3600	–	–	4380.58
3900	–	–	4745.65
4200	–	–	5110.69
4500	–	–	5566.99
4800	–	–	5840.78

150-165mm Cavity Wall



(mm)	TS150/125	TH150/125	TX150/125
750	488.81	–	–
900	583.44	613.36	1124.77
1050	683.98	715.58	1312.22
1200	778.18	817.79	1499.69
1350	887.75	920.05	1687.15
1500	996.26	1022.25	1874.58
1650	1213.27	1124.46	2062.04
1800	1410.54	1226.72	2249.51
1950	1792.48	1608.85	2436.95
2100	1930.16	1732.62	2624.41
2250	2197.14	2396.59	2824.17
2400	2247.18	2556.39	3012.47
2550	2601.93	–	3202.49
2700	2773.18	–	3389.01
2850	2935.77	–	3577.29
3000	3090.25	–	3765.55
3300	–	–	4142.12
3600	–	–	4518.66
3900	–	–	4895.21
4200	–	–	5271.78
4500	–	–	5742.46
4800	–	–	6024.87

170-185mm Cavity Wall



(mm)	TS170/125	TH170/125	TX170/125
750	503.24	–	–
900	600.66	635.21	1164.98
1050	704.17	741.03	1359.13
1200	801.14	846.92	1553.31
1350	953.44	952.80	1747.45
1500	1059.38	1058.62	1941.61
1650	1165.32	1164.50	2135.74
1800	1271.27	1270.37	2329.94
1950	1851.98	1666.38	2524.11
2100	1994.40	1794.56	2718.27
2250	2260.37	2482.28	2915.55
2400	2311.88	2647.79	3109.90
2550	2684.66	–	3404.27
2700	2861.31	–	3498.64
2850	3027.99	–	3693.00
3000	3187.31	–	3887.33
3300	–	–	4276.10
3600	–	–	4664.86
3900	–	–	5053.55
4200	–	–	5442.32
4500	–	–	5928.21
4800	–	–	6219.78


190-205mm Cavity Wall



(mm)	TS190/125	TH190/125	TX190/125
750	516.19	492.97	999.82
900	616.15	648.91	1199.75
1050	722.29	763.14	1399.71
1200	821.77	872.15	1599.68
1350	978.00	981.25	1799.66
1500	1086.68	1090.20	1999.57
1650	1195.34	1199.27	2199.49
1800	1304.02	1308.30	2399.51
1950	1899.72	1716.12	2599.44
2100	2045.79	1848.16	2799.42
2250	2318.62	2556.34	3002.55
2400	2371.41	2726.84	3202.78
2550	2753.82	–	3402.87
2700	2935.04	–	3603.11
2850	3105.97	–	3803.25
3000	3269.43	–	4003.38
3300	–	–	4403.74
3600	–	–	4804.12
3900	–	–	5204.39
4200	–	–	5604.77
4500	–	–	6105.16
4800	–	–	6405.42

Cavity Wall Lintels

140-150mm Wide Outer Leaf



A full range of lintel is available to suit reduced outer leaf and wide outer leaf applications for both traditional and Thermally Broken Lintels.

Closed Eaves Lintels

90-125mm Cavity Wall



(mm)	CGE90/100
900	135.00
1050	163.07
1200	179.06
1350	201.50
1500	227.23
1650	252.70
1800	310.68
2100	364.14
2400	518.68
2700	583.16

Extreme Loads* Lintels




Cavity

100-105mm

110-125mm

130-15mm

150-165mm



CBP100/100

CBP110/100

CBP130/100

CBP150/100

1371.01

1550.69

1599.38

1648.14

Cavity

50-65mm

70-85mm

90-105mm

110-125mm

130-145mm

150-165mm



CXL240

CXL265

CXL290

CXL310

CXL 330

CXL350

1095.08

1187.05

1371.01

1550.69

1599.36

1648.14

Please note: *price per metre, these products are subject to longer lead times, please enquire with Catnic sales.

Internal Solid Wall Lintels

75mm, 100mm and 140 mm

Wall thickness	75mm	100mm	100mm	100mm			140mm		
									
(mm)	CN92	CN102	CN100	BSD100	BHD100	BXD100	BSD140	BHD140	BXD140
750	–	–	–	154.35	–	–	–	–	–
900	–	–	–	169.36	196.11	329.48	–	–	–
1050	33.55	42.44	103.57	185.71	215.01	384.34	200.84	225.95	404.40
1200	37.98	46.84	128.64	190.51	220.59	447.69	229.55	258.24	462.16
1350	–	–	–	202.13	234.03	489.70	258.24	290.48	519.95
1500	–	–	–	214.03	253.01	534.68	286.90	322.74	577.69
1650	–	–	–	271.03	545.69	713.42	315.60	615.76	747.24
1800	–	–	–	296.48	585.24	778.29	344.26	671.74	815.17
1950	–	–	–	322.64	608.06	843.13	372.96	727.72	883.08
2100	–	–	–	338.86	654.82	907.98	401.61	783.67	951.00
2250	–	–	–	401.18	661.59	922.43	444.49	839.68	1018.94
2400	–	–	–	428.07	705.60	996.59	474.46	895.60	1086.86
2550	–	–	–	463.61	749.64	1000.19	504.22	951.60	1154.78
2700	–	–	–	490.34	793.79	1013.01	534.54	1007.57	1222.69
2850	–	–	–	808.35	1020.93	–	1063.55	1169.52	–
3000	–	–	–	851.14	1057.84	–	1119.51	1231.05	–
3300	–	–	–	939.71	1182.10	–	1231.47	1354.15	–
3600	–	–	–	1027.93	1289.58	–	1343.39	1477.25	–
3900	–	–	–	1378.38	2411.15	–	1600.36	2705.64	–
4200	–	–	–	1484.41	2596.64	–	1723.48	2913.73	–
4500	–	–	–	1616.94	2823.65	–	1877.33	3174.00	–
4800	–	–	–	1664.55	2967.52	–	1969.66	3330.09	–

External Solid Wall Lintels

Exterior Solid Wall 200-215mm

Fairface Brick 215mm

						
(mm)	CN71A	CN71C	CN81B	CN81C	CN50C	CN51C
750	—	—	—	—	—	—
900	243.91	406.81	—	—	243.91	—
1050	284.06	474.59	—	—	—	—
1200	314.96	542.35	—	—	314.96	—
1350	364.39	610.10	—	—	364.39	—
1500	412.51	677.96	—	—	412.51	—
1650	455.17	745.68	—	—	—	—
1800	497.92	813.48	—	—	497.92	—
1950	512.90	881.27	—	—	—	—
2100	580.19	—	972.11	1208.37	—	580.19
2250	679.44	—	987.41	1294.57	—	—
2400	722.57	—	1053.06	1326.13	—	722.57
2550	746.85	—	1118.94	1371.93	—	—
2700	790.52	—	1163.08	1408.35	—	790.52
2850	—	—	1186.31	1522.36	—	—
3000	—	—	1217.18	1600.48	—	—
3300	—	—	1271.70	1656.31	—	—
3600	—	—	1435.91	1798.48	—	—
3900	—	—	—	1941.19	—	—
4200	—	—	—	2059.86	—	—
4500	—	—	—	2159.23	—	—
4800	—	—	—	2301.44	—	—

Single Leaf Lintels

102mm Exterior Wall



(mm)	MBA	ANG	CCS
750	69.46	–	110.83
900	–	111.15	132.05
1050	–	129.64	154.97
1200	–	147.90	176.48
1350	124.74	166.41	199.20
1500	–	185.03	221.05
1650	–	228.92	242.91
1800	–	249.61	265.16
1950	–	270.16	363.74
2100	–	294.39	391.66
2250	–	382.15	419.67
2400	–	407.01	447.65
2550	–	591.04	634.10
2700	–	625.93	671.41
2850	–	688.50	708.71
3000	–	757.37	745.97
3300	–	1055.95	1312.67
3600	–	1152.01	1432.05
3900	–	–	1551.34
4200	–	–	1670.68
4500	–	–	1819.79
4800	–	–	1909.34

Timber Frame Lintels

Cavity size 50-65mm 70-85mm 90-105mm



(mm)	CTF5	CTF7	CTF9
750	68.32	71.64	84.76
900	81.54	85.95	100.07
1050	95.65	100.20	117.45
1200	109.27	114.45	134.43
1350	128.51	162.34	152.39
1500	140.71	180.38	174.79
1650	174.18	215.15	212.91
1800	190.19	234.71	238.50
1950	214.22	254.26	269.79
2100	234.86	273.81	290.60
2250	287.11	293.40	330.51
2400	314.96	312.94	384.95
2550	342.18	480.68	442.74
2700	365.71	509.08	469.37
2850	482.33	537.27	590.31
3000	507.85	565.53	621.44
3300	564.80	670.30	892.00
3600	844.71	731.20	973.13
3900	915.34	866.95	1200.72
4200	985.84	933.74	1293.07
4500	1056.01	1017.01	1408.52
4800	1110.13	1067.06	1477.82

Heavy duty CTF's are available on request. All timber frame lintels must be fixed using restraint clips which are supplied free of charge, and propped during construction.

Arch Lintels

Standard Semi-circular Arch Lintels



CCA600	CCA630	CCA900	CCA915	CCA1200
1035.78	1035.78	1419.16	1437.75	1807.91

CCB600	CCB630	CCB900	CCB915	CCB1200
1066.09	1104.34	1459.92	1480.20	1860.32

All made to order products are subject to longer lead times, please enquire with Catnic sales.

Arch Centres



Code	Length (mm)	Rise (mm)	Minimum Opening (mm)	Maximum Opening (mm)	£/each
ACA0475	450	75	450	500	104.07
ACA0625	600	75	600	650	116.96
ACA0675	650	75	650	700	127.13
ACA0875	850	75	850	900	136.80
ACA0925	900	75	900	950	141.27
ACA1075	1050	75	1050	1100	152.09
ACA1225	1200	75	1200	1250	163.36
ACA1375	1350	75	1350	1400	177.01
ACA1475	1450	75	1450	1500	191.55
ACA1625	1600	75	1600	1650	206.79
ACA1775	1750	75	1750	1800	222.99
ACA2125	2100	75	2100	2150	344.40
ACA2325	2300	75	2300	2350	379.60
ACA2425	2400	75	2400	2450	379.60

Accessories

PVCu Soffit Cladding (Price per metre)

FC White	FC Grey	FC Anthracite
14.85	43.74	25.72



External Plaster Key

PKS87
201.85 per pack - 10 x 1.2m



Special Lintels

Explore a diverse range of shapes for unique designs and features that inspire today's architects and builders, including bay and corner lintels.

Prices on application. All made to order products are subject to longer lead times, please enquire with Catnic sales.

Customer Services

To order or enquire about any Catnic product, please call on 029 2033 7900 or fax 029 2086 7796.


Technical Services

For advice on the most appropriate lintel for wall constructions, loadings, products not listed in this price list or for further technical details, please call on 029 2033 7900.


Examples



Parabolic Arch Lintel



Bull's Eye Lintel



Curved On Plan Lintel

Stainless Steel Lintels

All galvanised steel lintel products shown in the current lintel brochure are available in stainless steel. Special lintels are also available in stainless steel. Prices available on application.

Juliet Balconies

A standard range of Juliet Balconies are available from Catnic. Juliet Balconies are commonly used to provide a safety barrier in front of French windows. Prices available on application.



catnic.com

Care has been taken to ensure that the contents of this publication are accurate, but Tata Steel Europe Limited and its subsidiaries, which includes Tata Steel UK Limited, do not accept responsibility or liability for errors or information that is found to be misleading. Suggestions for, or descriptions of, the end use or application of products or methods of working are for information only and Tata Steel Europe Limited and its subsidiaries accept no liability in respect thereof.

Before using products or services supplied or manufactured by Tata Steel Europe Limited and its subsidiaries, customers should satisfy themselves as to their suitability.

Catnic reserves the right to change information contained within this brochure at any time.

© Copyright 2026 Tata Steel UK Limited

Catnic

Pontypandy Industrial Estate
Caerphilly
CF83 3GL

T: 029 2033 7900

F: 029 2086 7796

catnic.com

Tata Steel UK Limited

18 Grosvenor Place
London
SW1X 7HS

Registered in England No. 02280000

English version CAT-LIN-ALL-PRICELIST-v26.2